
T_bcs vs Collect
273.8
273.6
273.4
273.2
273.0
272.8
272.6
T_bcs (K)
0
2
4
6
8
Collect


T_svs vs Collect
−998.4
−998.6
−998.8
−999.0
−999.2
−999.4
−999.6
T_svs (K)
0
2
4
6
8
Collect


T_bcs vs Time
273.8
273.6
273.4
273.2
273.0
272.8
272.6
T_bcs (K)
−1.0
−0.5
0.0
0.5
1.0
Time (min)


T_svs vs Time
−998.4
−998.6
−998.8
−999.0
−999.2
−999.4
−999.6
T_svs (K)
−1.0
−0.5
0.0
0.5
1.0
Time (min)


T_tmc vs Collect
273.8
273.6
273.4
273.2
273.0
272.8
272.6
T_tmc (K)
0
2
4
6
8
Collect


T_tmc vs Time
273.8
273.6
273.4
273.2
273.0
272.8
272.6
T_tmc (K)
−1.0
−0.5
0.0
0.5
1.0
Time (min)


T_rta vs Scan and Collect
285.4
285.2
285.0
284.8
284.6
284.4
284.2
284.0
T_rta (K)
0
200
400
600
800
1000
1200
Collect*scan


T_cav vs Scan and Collect
293.4
293.2
293.0
292.8
292.6
292.4
292.2
292.0
T_cav (K)
0
200
400
600
800
1000
1200
Collect*scan


T_sh vs Scan and Collect
292.4
292.2
292.0
291.8
291.6
291.4
291.2
291.0
T_sh (K)
0
200
400
600
800
1000
1200
Collect*scan


T_ham vs Scan and Collect
293.4
293.2
293.0
292.8
292.6
292.4
292.2
T_ham (K)
0
200
400
600
800
1000
1200
Collect*scan


T_obc vs Scan and Collect
293.0
292.8
292.6
292.4
292.2
292.0
291.8
291.6
T_obc (K)
0
200
400
600
800
1000
1200
Collect*scan


T_rta vs Time
285.4
285.2
285.0
284.8
284.6
284.4
284.2
284.0
T_rta (K)
−5
0
5
10
15
20
25
30
Time (min)


T_cav vs Time
293.4
293.2
293.0
292.8
292.6
292.4
292.2
292.0
T_cav (K)
−5
0
5
10
15
20
25
30
Time (min)


T_sh vs Time
292.4
292.2
292.0
291.8
291.6
291.4
291.2
291.0
T_sh (K)
−5
0
5
10
15
20
25
30
Time (min)


T_ham vs Time
293.4
293.2
293.0
292.8
292.6
292.4
292.2
T_ham (K)
−5
0
5
10
15
20
25
30
Time (min)


T_obc vs Time
293.0
292.8
292.6
292.4
292.2
292.0
291.8
291.6
T_obc (K)
−5
0
5
10
15
20
25
30
Time (min)

T_rta vs Scan


Collect=1
Collect=2
Collect=3
Collect=4
Collect=5
Collect=6
T_rta (K)
Scan
300
200
100
0
-100
0
50
100
150
200

T_cav vs Scan


Collect=1
Collect=2
Collect=3
Collect=4
Collect=5
Collect=6
T_cav (K)
Scan
300
200
100
0
-100
0
50
100
150
200

T_sh vs Scan


Collect=1
Collect=2
Collect=3
Collect=4
Collect=5
Collect=6
T_sh (K)
Scan
300
200
100
0
-100
0
50
100
150
200

T_ham vs Scan


Collect=1
Collect=2
Collect=3
Collect=4
Collect=5
Collect=6
T_ham (K)
Scan
300
200
100
0
-100
0
50
100
150
200

T_obc vs Scan


Collect=1
Collect=2
Collect=3
Collect=4
Collect=5
Collect=6
T_obc (K)
Scan
300
200
100
0
-100
0
50
100
150
200


T_OBC per thermistors vs Scan
Collect=1
Collect=2
Collect=3
Collect=4
T_obc (K)
Scan
0
100
200
300
0
50
100
150
200
1
2
3
4
5
6

T_OBC per thermistors vs Scan




OBC thermistor standard deviation vs Scan and Collect
Standard deviation
0.010
0.008
0.006
0.004
0.002
0.000
0
200
400
600
800
1000
1200
Collect*scan


OBC thermistor standard deviation vs Collect
Standard deviation
−400
−300
−200
−100
0
0
2
4
6
8
Collect


VisNIR T_fpa vs Scan and Collect
293.8
293.6
293.4
293.2
293.0
292.8
292.6
VisNIR T_fpa (K)
0
200
400
600
800
1000
1200
Collect*scan


VisNIR T_fpa vs Time
293.8
293.6
293.4
293.2
293.0
292.8
292.6
VisNIR T_fpa (K)
−5
0
5
10
15
20
25
30
Time (min)

VisNIR T_fpa vs Scan




SMWIR T_cfpa vs Scan and Collect
91.0
90.8
90.6
90.4
90.2
90.0
89.8
SMWIR T_cfpa (K)
0
200
400
600
800
1000
1200
Collect*scan


SMWIR T_cfpa vs Time
91.0
90.8
90.6
90.4
90.2
90.0
89.8
SMWIR T_cfpa (K)
−5
0
5
10
15
20
25
30
Time (min)

SMWIR T_cfpa vs Scan




LWIR T_cfpa vs Scan and Collect
LWIR T_cfpa (K)
91.2
91.0
90.8
90.6
90.4
90.2
90.0
0
200
400
600
800
1000
1200
Collect*scan


LWIR T_cfpa vs Time
LWIR T_cfpa (K)
91.2
91.0
90.8
90.6
90.4
90.2
90.0
−5
0
5
10
15
20
25
30
Time (min)

LWIR T_cfpa vs Scan




T_cpfa vs Scan: Collect=1
VisNIR
VisNIR T_fpa (K)
300
200
100
0
−100
0
50
100
150
200
Scan
SMWIR
SMWIR T_cfpa (K)
100
80
60
40
20
0
−20
0
50
100
150
200
Scan
LWIR
LWIR T_cfpa (K)
100
80
60
40
20
0
−20
0
50
100
150
200
Scan


T_cpfa vs Scan: Collect=2
VisNIR
VisNIR T_fpa (K)
300
200
100
0
−100
0
50
100
150
200
Scan
SMWIR
SMWIR T_cfpa (K)
100
80
60
40
20
0
−20
0
50
100
150
200
Scan
LWIR
LWIR T_cfpa (K)
100
80
60
40
20
0
−20
0
50
100
150
200
Scan


T_cpfa vs Scan: Collect=3
VisNIR
VisNIR T_fpa (K)
300
200
100
0
−100
0
50
100
150
200
Scan
SMWIR
SMWIR T_cfpa (K)
100
80
60
40
20
0
−20
0
50
100
150
200
Scan
LWIR
LWIR T_cfpa (K)
100
80
60
40
20
0
−20
0
50
100
150
200
Scan


T_cpfa vs Scan: Collect=4
VisNIR
VisNIR T_fpa (K)
300
200
100
0
−100
0
50
100
150
200
Scan
SMWIR
SMWIR T_cfpa (K)
100
80
60
40
20
0
−20
0
50
100
150
200
Scan
LWIR
LWIR T_cfpa (K)
100
80
60
40
20
0
−20
0
50
100
150
200
Scan


T_cpfa vs Scan: Collect=5
VisNIR
VisNIR T_fpa (K)
300
200
100
0
−100
0
50
100
150
200
Scan
SMWIR
SMWIR T_cfpa (K)
100
80
60
40
20
0
−20
0
50
100
150
200
Scan
LWIR
LWIR T_cfpa (K)
100
80
60
40
20
0
−20
0
50
100
150
200
Scan


T_cpfa vs Scan: Collect=6
VisNIR
VisNIR T_fpa (K)
300
200
100
0
−100
0
50
100
150
200
Scan
SMWIR
SMWIR T_cfpa (K)
100
80
60
40
20
0
−20
0
50
100
150
200
Scan
LWIR
LWIR T_cfpa (K)
100
80
60
40
20
0
−20
0
50
100
150
200
Scan


VisNIR T_asp vs Scan and Collect
307.0
306.8
306.6
306.4
306.2
306.0
305.8
305.6
VisNIR T_asp (K)
0
200
400
600
800
1000
1200
Collect*scan


VisNIR T_asp vs Time
VisNIR T_asp (K)
307.0
306.8
306.6
306.4
306.2
306.0
305.8
305.6
−5
0
5
10
15
20
25
30
Time (min)

VisNIR T_asp vs Scan




SMWIR T_asp vs Scan and Collect
307.2
307.0
306.8
306.6
306.4
306.2
306.0
SMWIR T_asp (K)
0
200
400
600
800
1000
1200
Collect*scan


SMWIR T_asp vs Time
SMWIR T_asp (K)
307.2
307.0
306.8
306.6
306.4
306.2
306.0
−5
0
5
10
15
20
25
30
Time (min)

SMWIR T_asp vs Scan




LWIR T_asp vs Scan and Collect
306.0
305.8
305.6
305.4
305.2
305.0
304.8
LWIR T_asp (K)
0
200
400
600
800
1000
1200
Collect*scan


LWIR T_asp vs Time
306.0
305.8
305.6
305.4
305.2
305.0
304.8
LWIR T_asp (K)
−5
0
5
10
15
20
25
30
Time (min)

LWIR T_asp vs Scan




T_asp vs Scan: Collect=1
VisNIR
SMWIR
LWIR
VisNIR T_asp (K)
SMWIR T_asp (K)
LWIR T_asp (K)
Scan
400
300
200
100
0
−100
0
50
100
150
200


T_asp vs Scan: Collect=2
VisNIR
VisNIR T_asp (K)
400
300
200
100
0
−100
0
50
100
150
200
Scan
SMWIR
SMWIR T_asp (K)
400
300
200
100
0
−100
0
50
100
150
200
Scan
LWIR
LWIR T_asp (K)
400
300
200
100
0
−100
0
50
100
150
200
Scan


T_asp vs Scan: Collect=3
VisNIR
VisNIR T_asp (K)
400
300
200
100
0
−100
0
50
100
150
200
Scan
SMWIR
SMWIR T_asp (K)
400
300
200
100
0
−100
0
50
100
150
200
Scan
LWIR
LWIR T_asp (K)
400
300
200
100
0
−100
0
50
100
150
200
Scan


T_asp vs Scan: Collect=4
VisNIR
VisNIR T_asp (K)
400
300
200
100
0
−100
0
50
100
150
200
Scan
SMWIR
SMWIR T_asp (K)
400
300
200
100
0
−100
0
50
100
150
200
Scan
LWIR
LWIR T_asp (K)
400
300
200
100
0
−100
0
50
100
150
200
Scan


T_asp vs Scan: Collect=5
VisNIR
VisNIR T_asp (K)
400
300
200
100
0
−100
0
50
100
150
200
Scan
SMWIR
SMWIR T_asp (K)
400
300
200
100
0
−100
0
50
100
150
200
Scan
LWIR
LWIR T_asp (K)
400
300
200
100
0
−100
0
50
100
150
200
Scan


T_asp vs Scan: Collect=6
VisNIR
SMWIR
LWIR
VisNIR T_asp (K)
SMWIR T_asp (K)
LWIR T_asp (K)
Scan
400
300
200
100
0
−100
0
50
100
150
200


T_omm vs Scan and Collect
293.6
293.4
293.2
293.0
292.8
292.6
292.4
292.2
T_omm (K)
0
200
400
600
800
1000
1200
Collect*scan


T_omm vs Time
293.6
293.4
293.2
293.0
292.8
292.6
292.4
292.2
T_omm (K)
−5
0
5
10
15
20
25
30
Time (min)

T_omm vs Scan


Collect=1
Collect=2
Collect=3
Collect=4
Collect=5
Collect=6
T_omm (K)
Scan
300
200
100
0
-100
0
50
100
150
200