Detector Variation in a0



Detector Variation in Gain (1/a1)



Detector Variation in a2




Detector Variation in a0
I4 (quadratic poly_fit)
I5 (quadratic poly_fit)
M12 (quadratic poly_fit)
M13 (quadratic poly_fit)
a0
Detector
HAM A, SS1
HAM B, SS1
HAM A, SS2
HAM B, SS2


Detector Variation in a0
M14 (quadratic poly_fit)
M15 (quadratic poly_fit)
M16A (quadratic poly_fit)
M16B (quadratic poly_fit)
a0
Detector
0.040
0.038
0.036
0.034
0.032
0.030
0.028
0.002
0.000
−0.002
−0.004
−0.006
−0.008
0.008
0.006
0.004
0.002
0.000
−0.002
0.010
0.008
0.006
0.004
0.002
0.000
0
5
10
15
20
HAM A, SS1
HAM B, SS1
HAM A, SS2
HAM B, SS2

Detector Variation in a0




Detector Variation in Gain (1/a1)
I4 (quadratic poly_fit)
I5 (quadratic poly_fit)
M12 (quadratic poly_fit)
M13 (quadratic poly_fit)
Gain (1/a1)
Detector
HAM A, SS1
HAM B, SS1
HAM A, SS2
HAM B, SS2


Detector Variation in Gain (1/a1)
M14 (quadratic poly_fit)
M15 (quadratic poly_fit)
M16A (quadratic poly_fit)
M16B (quadratic poly_fit)
Gain (1/a1)
Detector
HAM A, SS1
HAM B, SS1
HAM A, SS2
HAM B, SS2

Detector Variation in Gain (1/a1)



+ HAM A, SS1 ✳ HAM B, SS1 ◇ HAM A, SS2 △ HAM B, SS2


Detector Variation in a2
I4 (quadratic poly_fit)
I5 (quadratic poly_fit)
M12 (quadratic poly_fit)
M13 (quadratic poly_fit)
a2
Detector
HAM A, SS1
HAM B, SS1
HAM A, SS2
HAM B, SS2


Detector Variation in a2
M14 (quadratic poly_fit)
M15 (quadratic poly_fit)
M16A (quadratic poly_fit)
M16B (quadratic poly_fit)
a2
Detector
HAM A, SS1
HAM B, SS1
HAM A, SS2
HAM B, SS2

Detector Variation in a2



+ HAM A, SS1 ✳ HAM B, SS1 ◇ HAM A, SS2 △ HAM B, SS2